

# Your finger joint replacement at The Royal Bournemouth Hospital



This leaflet from the Orthopaedic Directorate has been designed to answer any questions you may have

**Please bring this booklet into the hospital with you**

# Introduction:

This booklet tells you about having a finger joint replacement at the Royal Bournemouth Hospital. It is intended to be for patients who have decided to have surgery after discussing the options, benefits and possible risks with their Consultant or Surgeon.

We have developed this guide to help answer any questions that you may have about your operation and recovery afterwards. It will be useful during each of your hospital visits, so please bring it with you.

This booklet is a general guide and there may be alterations in your management made by your surgeon, anaesthetist or therapist. These alterations should take priority.

All members of the Orthopaedic Team are committed to providing you with the highest standard in care and we look forward to welcoming you.

This guide book belongs to:

.....

Your orthopaedic consultant is:

.....

Appointment Dates:

Surgery: .....

Follow up: .....

Other: .....

Goals:

1: .....

2: .....

3: .....

We encourage your questions and enquiries;  
please write them here to ask at your next meeting

.....

.....

.....

# Educational information

## What is this operation for?

Finger joint replacements are most frequently performed to treat arthritis; however they may also be used after an injury to the joint. They can be carried out on your knuckle, this is called the metacarpophalangeal(MCP) joint. They can also be performed on the joint in the middle of your finger between the knuckle and the small joint near your finger nail. This is called the Proximal Interphalangeal(PIP) Joint. The main indication for the operation is persistent pain. An improvement in movement of the joint with this surgery cannot be guaranteed. There are two different kinds of replacements that are used for finger replacements - these are solid (hard) and silicone (soft). Your surgeon will discuss the details of your operation with you.

## Understanding Risk

Where we discuss risk with you we will use the following terms:

Term	People Affected	Equivalent
Very Common	More than 1 in 10	A person in a family
Common	Between 1 in 10 and 1 in 100	A person in a street
Uncommon	Between 1 in 100 and 1 in 1,000	A person in a village
Rare	Between 1 in 1,000 and 1 in 10,000	A person in a small town
Very Rare	Fewer than 1 in 10,000	A person in a large town

## Risks of surgery

Surgery should not be undertaken lightly and it is always important to know the risks before proceeding. A member of your consultant's team will have discussed these risks with you prior to listing you for surgery.

### Very Common

- Scarring
- Stiffness
- Bruising or bleeding
- Wound sensitivity
- Pain
- Swelling

### Common

- Long term reduced range of movement
- Squeaking during movement

### Uncommon

- Infection
- Failure to resolve symptoms
- Nerve damage
- Tendon damage or adhesions (tendons sticking to tissues they normally glide through)
- Long term implant loosening or failure
- Reaction to implant materials
- Instability (may have some side-to-side movement)
- Complex regional pain syndrome (CRPS)
- Blood vessel damage

Additionally there are risks associated with the anaesthetic used for the operation; your anaesthetist will discuss these with you.



# Before your surgery

## Pre-admission Assessment

The Pre-admission department from Royal Bournemouth Hospital will contact you with the appointment information. If you have any questions about your appointment please call their department. You can find their details on the useful contacts section at the back of this booklet.

The visit to the pre-admission assessment clinic may require you to be at the hospital for several hours. It is important to attend this appointment or your surgery will be postponed or cancelled. In the clinic, you will be officially registered for your hospital admission and a nursing assessment and pre-operative tests will be done. These tests may include:

- X-rays
- Blood and urine tests
- ECG (Electrocardiogram)

You may be seen by other health care professionals during the visit. These include:

- Pre-Assessment Specialist Nurse
- Anaesthetist
- Ward Doctor

Please bring the following to your pre-operative assessment appointment:

- All your current medications
- A list of allergies including the type of reaction
- Next of kin details and contact numbers.

## Actions to take before your surgery

Once you have your date for surgery you can do several things to aid preparation for your operation and to assist with your recovery.

## Planning ahead

It is important to plan and make arrangements for how you will manage once home. Stocking up your freezer with easy cook items is advised (particularly if you live alone and your dominant hand is being operated on), as you may find it difficult to do shopping and prepare meals initially. If you have family or friends who can stay with you or visit regularly, particularly in the first two weeks this may make your recovery easier. This may be helpful with both household tasks and moral support.

Sometimes people like to do some jobs at home such as gardening just before coming into hospital, as their hand will be out of action for a number of weeks. Please be very careful not to get any cuts because any an open wound increases the risk of infection and your surgery would have to be cancelled.

## Smoking

Smoking has been shown to delay wound healing and increase complications after surgery. Patients who stop smoking benefit from long term improvements to general health, decrease the risks associated with an anaesthetic and have a better outcome from surgery.

If you are interested in stopping smoking please speak to your pre assessment nurse or GP for advice and services available.

## Weight management

Even though you may feel fit and healthy at your current weight, patients with a higher body mass index (BMI) are more likely to experience potentially serious complications both during and after surgery.

If you are keen to lose weight before your surgery please speak to your pre assessment nurse or GP for advice and services available.

## Cancellation

If you are unable to attend your appointment or surgery, please contact us immediately so that we can offer this to another patient.

# Arriving for your surgery

## Day of surgery

### Eating and drinking:

Please follow the instructions given to you about when to stop eating and drinking before your operation. If there is food or liquid in your stomach during your anaesthetic, it could come up into the back of your throat and damage your lungs.

**If you have not followed the correct fasting instructions, your operation will be cancelled.**

If you normally take prescribed medicines in the morning please continue to take these on the day of surgery, apart from tablets you have been specifically told not to take by the pre-assessment team. Take them with a sip of still water.

Please do not drink alcohol for 24 hours before surgery.

### Arrival:

You will come into hospital on the same day as your operation. You will need to present yourself to the Sandbourne Admissions Suite to be admitted for surgery. Most finger joint replacements are performed as day surgeries so you will be able to go home on the day of the operation; however you may be required to stay overnight depending on the time of your operation and your recovery.

Please note the time you are instructed to arrive at hospital is not the time your operation will take place. It is necessary for you to come a few hours before the time of your operation so that you can be admitted and prepared for surgery.

When you arrive at the Sandbourne Admissions Suite a nurse will check you in. You may also be visited by the surgeon and anaesthetist before your operation. You will then be asked to put on a hospital gown. All patients who are able will walk to theatre for their operation accompanied by a member of our nursing staff.

# Your surgery

## Anaesthetic

Finger replacements are usually performed under a general anaesthetic. This means that you will be unconscious throughout the operation. You may also have a nerve block, this is an injection that will cause your hand and possibly parts of your arm to be numb. This will gradually wear off and the feeling and movement will slowly return to your arm. The effects of a nerve block can last 24-48 hours.

## Surgical Procedure

A cut (incision) will be made over the joint that is affected and a tendon is split to gain access to the joint. The surgeon will then remove the ends of both bones and make cuts for the implant. Your surgeon will insert the components of the new joint making sure they are happy with the movement and stability of the joint. There are different sizes of implants which can be used.

## Closure and dressing

Once the surgery is finished, the split tendon will be repaired and the incision will be closed with stitches then covered with a small dressing. A plaster cast will be applied to your hand and wrist. You may return from theatre with your arm in a sling.

## What happens after the operation? (while I am in hospital)

We hope that you will be able to go home on the same day as your procedure, however depending on the time of your surgery, your recovery and your home situation; you may be required to stay overnight. You must have someone at home with you for the first 24 hours while you recover from the anaesthetic.



# After your surgery

## Nursing

When you wake up after your operation the nurse will let you rest for a short while. If you are uncomfortable, the nursing staff will provide you with painkillers; please do not be afraid to ask for them if you are in pain. You may feel tired after the operation so you can rest in bed for the first few hours and also have something to eat.

## Hand Therapy

Swelling is normal after an operation. Movement of unaffected joints and elevation will help reduce it.

The following exercises will help reduce this swelling so you should begin to do these as soon as possible. Please complete them hourly until your hand and wrist is fully recovered or until you receive specific exercises from your therapist.

### Exercise 1.

Move your non operated fingers as much as the bandage/plaster allows. Repeat this 10 times every woken hour.

### Exercise 2.

Bend and straighten your elbow, and reach above your head every woken hour.

**You should elevate your hand as much as possible to minimise swelling.**

## What happens when I go home?

### Dressings

The bandage or plaster may become slightly blood stained; this is to be expected and should not be cause for concern. The plaster should be left on until your clinic or hand therapy appointment, and you must not get the wound or plaster wet. If this occurs, contact either your practice nurse or orthopaedic outpatient department to arrange a clean dressing.

### Outpatient Hand Therapy

Following your finger joint replacement(s) you will need to attend several outpatient therapy appointments. These will be made for the closest appropriate hospital hand therapy department.

Your first appointment will take place 1-2 weeks after your operation. At this appointment your dressings and plaster will be removed. Your wound will be checked and redressed. A plastic splint will be made to fit the shape of your finger or hand (depending on the specific joint replacement). Your follow-up hand therapy appointments will guide you through the management of your scar, swelling, exercises, splint regime and functional rehabilitation.

### Clinic Review

A follow-up appointment with your consultant's team will be made for you. You should receive this appointment in the post after you have been discharged from hospital. The appointment is normally two weeks after your operation. At this appointment you will have the stitches removed and a member of the consultant's team will review your progress.

# Managing everyday activities

Before you come into hospital think about and practice how you will manage everyday tasks when you return home after your operation. This may involve using the non-operated hand. Examples of activities which you may find difficult are:

**Mobility:** If you currently use a walking aid in the hand which is being operated you need to consider whether you could use it in the other hand or whether an alternative walking aid may be required. You may need to discuss this with the physiotherapist on your admission or speak to the nurses at pre-assessment.

**Transfers:** Getting on/off your bed, toilet and chairs. If you are struggling to sit or stand from any furniture at present (due to other medical conditions) please consider how you will manage one handed after your operation. Equipment to help you can be loaned by the Red Cross.

**Personal Care:** Getting washed and dressed is usually manageable following your operation. You must not get your hand or plaster wet so you will need to use your other hand for washing etc. A plastic waterproof sleeve for preventing it getting wet is useful (ask for more information on this).

**Food preparation and cooking:** If you are the cook of the household, freezing some meals or stocking up on ready meals is a good idea.

Be aware you will be mainly using your non-operated hand for these activities.

## Expectations

Only return to your usual activities when you have been advised to by your surgeon or hand therapist. During the first 4 weeks you will not be able to use your hand for any activities as you will risk damaging your hand and your replaced joint/s. Most people are back to light activities within 6-8 weeks after surgery. You may have some discomfort and swelling around the joint/hand. This is to be expected. Continue to take your painkillers as advised by the nursing staff.

## When can I start to drive again?

Most people can resume driving around 6 - 10 weeks after surgery due to the potential strain on the new joints. Your surgeon or hand therapist will advise you. You must be confident that you are in full control of the vehicle at all times, including use of the steering wheel, handbrake and gear stick. You should also check your insurance policy as you may need to inform your insurer of your operation.

## When can I return to work?

Most people are able to return to work within 8-12 weeks of surgery. If you have a more manual job then you may need some extra time off.

## When can I return to leisure activities?

Most people should be able to return to their sports and hobbies 12 weeks after surgery. Contact sports are not recommended due to the risk of dislocating or damaging the joint. Speak with your surgeon or hand therapist if you need any further information.

# Frequently asked questions

## If I have any questions who should I contact?

If you have any questions about returning to activities you can ask your surgeon or physiotherapist on the day of the operation. Use the notes section at the front of this leaflet to notes down these questions and any instructions given to you by your surgeon or physiotherapist.

## What should I bring with me to hospital?

### What to bring

- This booklet
- All current medications in their original boxes
- Elbow crutches or walking sticks if you use them
- Flat trainers or shoes
- Mobile phones/books
- Telephone numbers of friends/relatives
- Glasses and case

### Please do not bring

- Unnecessary jewellery
- Large sums of money
- Laptop computers
- Any other valuables

Please remove nail varnish and piercings.

## Useful Contacts

Royal Bournemouth Switchboard:	<b>01202 303626</b>
Sandbourne Suite:	<b>0300 019 6104</b> (Mon - Fri - 8am to 9pm)
Pre-Admission Assessment Dept.:	<b>0300 019 4102</b> (Mon - Fri - 8.30am to 4.30pm)
Orthopaedic Admissions Dept.:	<b>0300 019 4919</b> Option 2 (Mon - Fri - 9am to 4pm)
Hand Therapy RBCH:	<b>0300 019 4418</b> (Mon - Fri - 8am to 5pm)
Poole:	<b>0300 019 2121</b> (Mon - Fri - 8am to 5pm)

The Royal Bournemouth Hospital, Castle Lane East, Bournemouth, Dorset, BH7 7DW

Author: **Aaron Bailie, Linda Brannan and Caroline Wood**

Date: **June 2021** Version: **One** Review date: **June 2024** Ref: **367/21**

t: 01202 303626 w: [www.uhd.nhs.uk](http://www.uhd.nhs.uk) : @UHD\_NHS : @UHDTrust : @uhd\_nhs