

<h1 style="margin: 0;">COSHH</h1> <h2 style="margin: 0;">Risk Assessment</h2>		Date:	31/05/22
		Review Date:	01/09/22
		MSDS Date	
Substance:	Sars-cov-2 (Covid 19)		
Manufacturer:	Infectious Disease (Not Manufacturer)		
Description /colour /form	Airborne virus		
Emergency Telephone number:	N/A		
Location of process:	Trust wide non clinical staff areas		
Container size	N/A		
Identify the persons at risk:	Staff/ Volunteers <input checked="" type="checkbox"/> (including trainees)	Contractors: <input checked="" type="checkbox"/>	Public <input type="checkbox"/>

GHS Classification (state the category of danger)								
Explosive	Environment Hazard	Long Term Hazard	Harmful/irritant	Toxic	Corrosive	Oxidising	Flammable	Pressurised Container
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Hazard Type							
GAS	VAPOUR	MIST	FUME	DUST	LIQUID	SOLID	OTHER
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Route of Exposure				
Inhalation	Absorption	Ingestion	Injection	Other
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

First Aid Measures	
General Information:	<p>All staff should continue to follow practices and behaviours that reduce the risk of contracting or passing on infections, including being alert to the symptoms of Covid-19 and remembering to do lateral flow tests twice a week when asymptomatic. If you develop any coronavirus symptoms but feel well enough to work, please take a lateral flow test to ensure that this is negative before attending work.</p> <p>If you do not feel well enough for work, then you should report your sickness absence in the normal way.</p>

	You must NOT return to work before you have made a good recovery and provided 2 negative LFD results if this is before day 10 of your illness and not before day 6. You should do this even if you have received one or more doses of COVID-19 vaccine. This is because it is still possible to get COVID-19 and spread it to others even if you are vaccinated.
--	--

Control Measures: (for example extraction,ventilation,training,supervisiion) Take account of those substances that are produced from activities undertaken by another employer's employees. (List the summary of controls already in place and identify any gaps)	
Engineering Measures	The trust will provided adequate general ventilation for non clinical workspaces. If this has not been checked during the past two year <u>and</u> you have concerns please contact estates through the normal chanel. Workspaces must comply with the 11m3 and where space allows maximum distance between workspaces are advised. If you need to increase numbers please contact H&S team.
Respiratory	Face coverings can still be worn as a personal choice.
Other Protection	Staff isolation requirements please see above.
Hygeine Measures	Good Hand Hygeine in place and use of alchochol gel at entrances and frequent cleaning regime to be maintained.

Grading Risk: Likelihood X Consequence = Risk Rating

		Consequence	1	2	3	4	5
			Negligible Minimal Injury	Minor Minor Injury	Moderate Moderate injury	Major Major injury	Catastrophic Lead to a Fatality
Likelihood	1	Rare Never happen	1	2	3	4	5
	2	Unlikely Not expected	2	4	6	8	10
	3	Possible Might happen	3	6	9	12	15
	4	Likely Probably happen	4	8	12	16	20
	5	Almost Certain Will happen	5	10	15	20	25

Now rate the overall rating with the controls you have listed	
HIGH <input style="width: 40px; height: 30px; border: 1px solid red;" type="checkbox"/> MEDIUM <input style="width: 40px; height: 30px; border: 1px solid orange;" type="checkbox"/> LOW <input checked="" style="width: 40px; height: 30px; border: 1px solid yellow;" type="checkbox"/>	
Covid numbers within the community – Review at threshold Current levels at 1.6 % in English population	
Final check: Has the risk rating been reduced to as low as possible with the new controls?	
Yes <input checked="" style="width: 20px; height: 20px; border: 1px solid black;" type="checkbox"/> No <input style="width: 20px; height: 20px; border: 1px solid black;" type="checkbox"/>	Note any monitoring that may be needed: Monitor covid 19 levels in English population
Assessed by Sherri Paul	Date: 31/05/22
Approval by: Caitlin New	Review Date: 01/09/22
	Date: 31/05/22

Sign off Sheet

I have been taken through the COSHH assessment for the listed task/process and understand the safety controls with my responsibilities to ensure I work safely.

NAME	Signature	DATE